

Onkar®

PROFESSIONAL
HAND TOOLS



Inspired by Your Need, Powered by Our Technology.



www.onkarindustries.com

ABOUT OUR COMPANY



ONKAR INDUSTRIES Leading Manufacturer of Generator, Diesel Engines & Engine Parts, Hand Tools, Agriculture Parts, CNC Turning Parts..

We are among the industry leaders in manufacturing a broad range of engine parts, which are widely used in various machines, diesel engines and mechanical systems. Our high-grade products are extremely durable and rust-resistant. All of our clients are very satisfied with the world-class standard of our engine parts.

You can also rely on our expertise in manufacturing tractor parts. We build top links and hock pins for tractors. Also, we are expert in manufacturing locking pins, linch pins and U bolts. Our tractor parts are customized for respective tractor models. We manufacture gear levers that perfectly complement other parts of the tractor, and last long.


For superior quality lubrication equipments, we are a trusted name. Whether you have a small industrial unit or a high-scale manufacturing plant, our lubrication equipments play an instrumental role to provide robustness to your infrastructure.

Globally, we continuously strive for excellence in manufacturing better machine parts and equipments for various sectors, ranging from agriculture to allied industries. We diligently focus on latest technologies and production methodologies to manufacture the products, without any compromise on the quality front. Customer satisfaction is our major priority and we deliver accordingly.

Our workers are highly skillful. They have a firm grasp of practical manufacturing techniques, which comply with the safety standards. We work for several clients at various scales of business. Our experience and knowledge of the sector evolve with each passing day. We are cohesive unit, aiming to meet your perfectly meet your production and economic objectives.

Onkar Industries is an ISO 9001:2015 Certified Company, adhering to permissible, well-tested manufacturing regulations. Our business principles amalgamate all the administrative legalities and guidelines. Clients trust us for our honesty, hard-work, integrity, and customer-centric professional approach.





01
WHEEL NUT
WRENCHES



03
TYRE
LEVERS




04
L-TYPE WHEEL
SPANNERS



06
CROSS WHEEL
SPANNERS



08
ANGLE SOCKET
WRENCHES



11
TUBULAR BOX
WRENCHES



12
LUBRICATION
TOOLS



16
ALLEN KEY
WRENCH



17
SPANNERS



29
PLIERS



31
WRENCHES



32
PINCERS



33
G CLAMP &
BEARING PULLERS



34
STRIKING
TOOLS



36
HACKSAW
FRAMES



37
VICES



38
SCREWDRIVER
& JACKS



39
TRACTOR
PARTS

I N D E X



OKI - 101

**WHEEL NUT WRENCH
DOUBLE ENDED**

CODE	SIZE		Net Wt. Gms.	STD. Packing
	INCH	MM		
101 - 19X22	19X22	250	750	20
101 - 19X24	19X24	380	1775	20
101 - 22X24	22X24	400	1000	20
101 - 22X27	22X27	400	1200	20
101 - 24X26	24X26	400	1200	20
101 - 24X27	24X27	400	2050	20
101 - 27X27	27X27	400	1850	20
101 - 27X30	27X30	400	2145	20
101 - 27X32	27X32	400	2242	20
101 - 27X33	27X33	400	2221	20
101 - 30X30	30X30	400	2050	20
101 - 30X32	30X32	400	2243	20
101 - 30X33	30X33	400	2288	20
101 - 32X32	32X32	400	2110	20
101 - 32X33	32X33	400	2118	20

SINGLE STEP



DOUBLE STEP

- Upset Hot Forged Special Carbon Steel/Chrome Vanadium Steel
- Induction Hardened
- Hardened and Tempered as per customer requirement.
- Finish : Matt B.C.P. Finish / Zinc Coated /
- Epoxy Gray Finish / Phosphated / Black Painted
- Special material for superior quality and longevity.

OKI - 102

**WHEEL NUT WRENCH DOUBLE ENDED
CHROME VANADIUM STEEL 12 POINT**

CODE	SIZE		Net Wt. Gms.	STD. Packing
	INCH	MM		
102 - 27x30	27x30	400	1900	20
102 - 27x32	27x32	410	2000	20
102 - 27x33	27x33	400	2150	20
102 - 30x32	30x32	410	2082	20
102 - 32x33	32x33	400	2300	20



Bi-Hex 12 points Available

OKI - 103

MINI WHEEL WRENCH

CODE	SIZE		Net Wt. Gms.	STD. Packing
	INCH	MM		
103 - 16x18	16x18	175	295	25
103 - 19x22	19x22	250	845	25
103 - 21x23	21x23	250	1050	25
103 - 24x27	24x27	250	1200	25
103 - 27x33	27x33	250	1300	25



Wheel Nut Wrenches for Trucks drop forged, hardened




OKI - 104

**WHEEL NUT WRENCH
SINGLE ENDED /
T-HANDLE SPANNER
DIN 3112**

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	L-MM		
104 - 19	19	265	465	20
104 - 22	22	360	1400	20
104 - 27	27	400	1500	20
104 - 30	30	400	1535	20
104 - 32	32	400	1600	20
104 - 33	33	400	1600	20
104 - 38	38	400	2540	20




- Carbon Steel / Chrome Vanadium Steel
- Finish : Matt B.C.P. Finish / Zinc Coated / Phosphated
- Full Hardened / Tempered



- Carbon Steel / Chrome Vanadium Steel
- Finish : Matt B.C.P. Finish / Zinc Coated / Phosphated
- Full Hardened / Tempered



Inside Square



OKI - 105

JUMBO SINGLE ENDED

CODE	SIZE	L-MM	Net Wt. Gms.	STD. Packing
105 - 21x41	21sq x 41hex	400	2354	10
105 - 17x32	17sq x 32hex	400	2100	10
105 - 17x35	27sq x 35hex	400	2229	10

- Carbon Steel / Chrome Vanadium Steel
- Finish : Matt B.C.P. Finish / Zinc Coated / Phosphated
- Full Hardened / Tempered



OKI - 106

**TYRE LEVER
CAT BAR**

CODE	SIZE Dia	L-mm	Net Wt. Gms.	STD. Packing
106 - A - 16	16	400	580 Hexa	40
106 - A - 16	16	450	640	30
106 - B - 19	19	610	1183	24
106 - C - 22	22	760	2000	20
106 - C - 22	22	915	2545	15
106 - D - 25.50	25.50	1220	4450	10
106 - D - 25.50	25.50	1370	5000	10

Ø 16mm



Hexagonal

Round

OKI - 107


TOMMY BAR

CODE	SIZE Dia	L-mm	Net Wt. Gms.	STD. Packing
107 - A - 12	12	250	225	40
107 - B - 14	14	450	520	40
107 - C - 18	18	500	1000	40
107 - C - 18	18	600	1200	40
107 - D - 19	19	400	1000	40
107 - E - 20	20	500	1230	40
107 - E - 20	20	630	1400	40
107 - F - 22	22	800	2400	40
107 - F - 22	22	1000	3000	40

Also available Hardened



Operate with care




OKI - 108

TYRE LEVER

CODE	SIZE Inch	Net Wt. Gms.	STD. Packing
108 - 12	12	390	50
108 - 16	16	580	40
108 - 18	18	650	30
108 - 21	21	750	30
108 - 24	24	870	24
108 - 30	30	1070	20
108 - 36	36	1300	15

Still on indispensable tool!

Tyre lever is a tool used frequently for change of tyre (Tire), It has no sharp edges, The steel bar acts as a lever when force is applied at one end of the tyre lever while the other end is between the tyre and the rim.



Now there are hydraulic machines to take care of removal of tyre.





OKI - 109


L-TYPE WHEEL SPANNERS
with or without Chisel End

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	MM		
109 - 16	16	355	430	40
109 - 17	17	355	450	40
109 - 18	18	355	450	40
109 - 19	19	355	450	40
109 - 21	21	355	450	40
109 - 23	23	355	450	40

- Hot forged, manufactured from
- Chrome Vanadium Steel / Carbon Steel.
- Available in Zinc/Nickle Chrome finish.



109 A



109 B

109 C

Hardened and Tempered
as per customer requirement.



OKI - 110

Z-TYPE SPANNERS

CODE	SIZE		STD. Packing
	MM	MM	
110 - 6x7	6x7	120	20
110 - 8x9	8x9	130	20
110 - 10x11	10x11	140	20
110 - 12x13	12x13	150	20
110 - 14x15	14x15	160	20
110 - 16x17	16x17	170	10
110 - 17x19	17x19	180	10
110 - 18x19	18x19	190	10
110 - 20x22	20x22	200	10



OKI - 111

L-TYPE WHEEL SPANNERS

Type of Product	Wheel Spanner	STD. Packing
Type of Spanner	Wheel Spanner	40
Socket Shape	Hex	
Socket Size	20.8	
Rod Dia	15mm	
Handle Shape	L	
Suitable For	Jeep	
Grade	IS 2030-1989	
Material	Carbon Steel	
Item Code	OKI-111	



111 A

111 B

111 C



OKI - 112

**L-TYPE SPANNERS
DOUBLE ENDED**

- Full Hardened & Tempered
- Chrome Vanadium Steel / Carbon Steel.
- Matt Bcp / Black Phosphated

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	Length		
112 - 10x12	10x12	165	-	40
112 - 10x13	10x13	200		40
112 - 12x13	12x13	245		40
112 - 13x14	13x14	255		40



OKI - 113

L-TYPE SPANNERS JUMBO

- Full Hardened & Tempered
- Chrome Vanadium Steel / Carbon Steel.
- Matt Bcp / Black Phosphated

CODE	SIZE		Net Weight Gms.	STD. Packing
	MM	Dia		
113 - 27	27	19	1200	30
113 - 28	28	19	1300	30
113 - 32	32	22	1500	20
113 - 38	38	25	2550	20



For Heavy Duty Jobs




OKI - 114

**CROSS WHEEL SPANNERS
FOLDING TYPE**


CODE	SOCKET SIZE	SIZE		Net Wt. Gms.	STD. Packing
		MM	L-MM		
114 - 14x14	17x19x22x22	14	355	1200	20
114 - 14x14	17x19x22x23	14	355	1200	20
114 - 14x14	7/8"x11/16"x3/4x13/16"	14	355	1200	20
114 - 14x14	17x19x22x22	16	355	1375	20
114 - 14x14	17x19x22x23	16	355	1375	20
114 - 14x14	7/8"x11/16"x3/4x13/16"	16	355	1375	20

Important Tip :

- When re fitting a wheel, the nuts or bolts should be tightened in a criss cross pattern (to even out the forces) and initially finger tight on all bolts.
- In heavy vehicles the lug nuts should be checked after few hundred miles.
- Use a WD-40 to break loose a nut or bolt when jammed, increase the force slowly to decrease the risk of breaking the nut.



Pattern to Tight the Nuts




Full Hardened / Tempered
Finish : Chrome Plating Mirror Polish

**Special for MERCEDES
AUTO REPAIR EQUIPMENT**

OKI - 115

CROSS WHEEL SPANNERS

CODE	SOCKET SIZE	SIZE		Net Wt. Gms.	STD. Packing
		MM	L-MM		
115 - A - 13x13	17x19x21x22	13	330	810	20
115 - A - 13x13	17x19x21x23	13	330	810	20
115 - A - 13x13	7/8"x11/16"x3/4x13/16"	13	330	810	20
115 - B - 14x14	17x19x21x22	14	355	1000	20
115 - B - 14x14	17x19x21x21	14	355	1000	20
115 - B - 14x14	7/8"x11/16"x3/4x13/16"	14	355	1000	20
115 - C - 15x15	17x19x21x22	15	380	1235	20
115 - C - 15x15	17x19x21x23	15	380	1235	20
115 - C - 15x15	7/8"x11/16"x3/4x13/16"	15	380	1235	20
115 - D - 16x14	17x19x21x22	16	355	1205	10
115 - D - 16x14	17x19x21x23	16	355	1205	10
115 - D - 16x14	17x19x21x1/2"	16	355	1205	10
115 - D - 16x14	7/8"x11/16"x3/4x13/16"	16	355	1205	10
115 - E - 16x16	17x19x21x22	16	400	1340	10
115 - E - 16x16	17x19x21x23	16	400	1340	10
115 - E - 16x16	17x19x21x1/2"	16	400	1340	10
115 - E - 16x16	7/8"x11/16"x3/4"x13/16"	16	400	1340	10



OKI - 116

CROSS WHEEL SPANNERS-HEAVY DUTY

CODE	SOCKET SIZE	SIZE		Net Wt. Gms.	STD. Packing
		MM	L-MM		
116 - 16x16	17x19x21x23	16	500	1700	10
116 - 18x20	22x25x24x27	18	560	2500	10
116 - 18x20	24x27x33x38	18	560	2600	10
116 - 18x20	13/16"x11/16"x1"x7/8"	18	560	2550	10






OKI - 117

**FOUR (4) WAY CROSS
WHEEL SPANNERS**

CODE	SOCKET SIZE	SIZE		Net Wt. Gms.	STD. Packing
		MM	L-MM		
117 - 16x14	17x19x22x1/2"	16	355	1300	20
117 - 16x14	17x19x22x22	16	355	1300	20
117 - 16x14	17x19x22x23	16	355	1300	20
117 - 16x14	17x19x22x24	16	355	1300	20
117 - 16x14	3/4"x13/16"x7/8"x11/16"	16	355	1300	20
117 - 16x14	17x19x22x1/2"	16	400	1420	10

REINFORCED

- Carbon Steel / Chrome Vanadium Steel
- Full Hardened / Tempered
- Finish : Powder Coated



with 4 Socket



with 3 Socket





Deep bores above the conic heads to take long studs.

Perfect Grip even when holding damaged and or inaccurate sized head.



OKI - 118

L-SPANNERS
ANGLED/CONIC HEAD


CODE	SIZE		Net Wt. Gms.	STD. Packing
	INCH	MM		
118 - 8	8	254	225	40
118 - 9	9	254	325	40
118 - 10	10	254	380	40
118 - 11	11	254	387	40
118 - 12	12	265	400	40
118 - 13	13	254	408	40
118 - 14	14	254	410	40
118 - 15	15	254	525	40
118 - 16	16	270	380	40
118 - 17	17	270	540	40
118 - 18	18	275	555	40
118 - 19	19	275	625	40

- Chrome Vanadium Steel
- Nickel & Chrome Plated
- Long Model
- 6 Points & Conic Ends
- Drop Forged and Heat Treated





The angle and through hole in the wrench provide a safe and secure design to accommodate long threads or a bar for additional torque without impairing the tool strength.



OKI - 119

ANGLE SOCKET WRENCH WITH HOLE

CODE	SIZE		Net Wt. Gms.	STD. Packing
	INCH	MM		
119 - 8x8	8x8	115	65	-
119 - 9x9	9x9	125	78	
119 - 10x10	10x10	130	107	
119 - 11x11	11x11	140	125	
119 - 12x12	12x12	150	150	
119 - 13x13	13x13	152	175	
119 - 14x14	14x14	165	220	
119 - 15x15	15x15	170	225	
119 - 16x16	16x16	178	300	
119 - 17x17	17x17	187	360	
119 - 18x18	18x18	170	385	
119 - 19x19	19x19	205	430	
119 - 20x20	20x20	225	440	
119 - 21x21	21x21	225	520	
119 - 22x22	22x22	250	620	
119 - 23x23	23x23	240	770	
119 - 24x24	24x24	250	810	
119 - 26x26	26x26	270	930	
119 - 27x27	27x27	280	945	
119 - 28x28	28x28	290	960	
119 - 29x29	29x29	300	1130	
119 - 30x30	30x30	310	1260	
119 - 32x32	32x32	330	1455	


JUMBO

OKI/102 34x34	34x34	340	1580	-
OKI/102 36x36	36x36	355	1765	

Dia of the rod \varnothing 16 mm

- 6x6 Point & 6x12 Points
- Elbow with Hole
- Full Polished / Head Polished / Matt Finish
- Chrome Vanadium Steel / Special Carbon Steel
- Nickel Plated / Zinc / Black Phosphated
- Full Hardened & Tempered
- Hardness as per customer required.
- Perfect Grip even when holding damaged and or inaccurate sized head.
- Special material for superior quality and longevity.





OKI - 120

ANGLE SOCKET WRENCH (Milled)

CODE	SIZE		Net Wt. Gms.
	INCH	MM	
120 - 8x8	8x8	115	65
120 - 9x9	9x9	122	80
120 - 10x10	10x10	130	110
120 - 11x11	11x11	136	115
120 - 12x12	12x12	145	145
120 - 13x13	13x13	152	175
120 - 14x14	14x14	160	185
120 - 15x15	15x15	170	235
120 - 16x16	16x16	178	245
120 - 17x17	17x17	187	290
120 - 18x18	18x18	195	330
120 - 19x19	19x19	205	430
120 - 20x20	20x20	212	490
120 - 21x21	21x21	225	560
120 - 22x22	22x22	225	560
120 - 23x23	23x23	240	770
120 - 24x24	24x24	250	810
120 - 26x26	26x26	270	930
120 - 27x27	27x27	280	945
120 - 28x28	28x28	290	960
120 - 29x29	29x29	300	1130
120 - 30x30	30x30	310	1300
120 - 32x32	32x32	330	1455

- 6x6 Point & 6x12 Points
- Elbow Milled
- Full Polished / Head Polished / Matt Finish
- Chrome Vanadium Steel / Special Carbon Steel
- Nickel Plated / Zinc / Black Phosphated
- Full Hardened & Tempered
- Perfect Grip even when holding damaged and or inaccurate sized head.
- Special material for superior quality and longevity.
- Suitable for motor repair and maintenance industry.

JUMBO


120 - 34x34	34x34	340	1580
120 - 36x36	36x36	355	1765






OKI - 121
SOLID TUBULAR BOX WRENCH
DIN 896

CODE	SIZE		Net Wt. Gms.	STD. Packing
	INCH	MM		
121 - 6x7	6x7	105	43	600
121 - 8x9	8x9	110	63	400
121 - 10x11	10x11	120	82	320
121 - 12x13	12x13	140	105	240
121 - 14x15	14x15	145	146	200
121 - 16x17	16x17	155	175	160
121 - 18x19	18x19	165	193	100
121 - 20x22	20x22	175	289	100
121 - 21x23	21x23	185	340	80
121 - 24x26	24x26	195	392	60
121 - 25x28	25x28	205	493	40
121 - 27x29	27x29	205	572	40
121 - 30x32	30x32	210	680	40



- Chrome Vanadium Steel
- Heavy Duty Pattern
- Hot Forged
- Profiled for Hexagonal Shape
- Full Hardened & Tempered
- Head Polished
- Nickel Plated



TOMMY BAR	LENGTH	DIA
T - 100 - 8x19	8x19	165
T - 100 - 20x32	20x32	210



OKI - 122
TUBULAR WRENCH

- Chrome Plated / Zinc Plated
- Tommy Bar 10mm x 230mm

CODE	SIZE			Net Wt. Gms.	STD. Packing
	MM	INCH	MM		
122 - 6x7	6x7	1/4X5/16	110	0.050	600
122 - 8x9	8x9	5/16X11/32	110	0.050	400
122 - 10x11	10x11	3/8X7/16	125	0.060	320
122 - 12x13	12x13	7/16X1/2	135	0.090	240
122 - 14x15	14x15	1/2X9/16	145	0.090	200
122 - 16x17	16x17	19/32X11/16	150	0.130	160
122 - 18x19	18x19	5/8X3/8	165	0.160	100
122 - 20x22	20x22	13/16X7/8	170	0.190	100
122 - 21x23	21x23	-	170	0.190	80
122 - 24x26	24x26	15/16X1"	190	0.280	60
122 - 25x28	25x28	1"X1.1/8	200	0.280	40
122 - 27x29	27x30	-	215	0.310	40
122 - 30x32	30x32	1.1/16X1.1/4	215	0.310	40



Zinc Plated



OKI - 123

**LEVER TYPE GREASE GUN
HEAVY DUTY**

- Threads Available :
1/8" BSP
M 10x1
1/8" NPT
- Finish : Powder Coating

CODE	PISTON	CAPACITY	STD PACK
123 - 5/8	5/8"	15 Oz	20



Body C.I. Casting with Air Release Valve

OKI - 124

**LEVER TYPE GREASE GUN
GERMAN MODEL**

- Threads Available :
1/8" BSP
M 10x1
1/8" NPT
- Finish : Powder Coating

CODE	PISTON	CAPACITY	STD PACK
124 - 3/8	3/8"	15 Oz	20



Pressure 8000 psi

Air is released
thorough filler nipple

Barrel Powder Coated

Body Aluminum Die Cast Head

OKI - 125

**LEVER TYPE GREASE GUN
GERMAN MODEL**

- Threads Available :
1/8" BSP
M 10x1
1/8" NPT
- Finish : Powder Coating

CODE	PISTON	CAPACITY	STD PACK
125 - 3/8	3/8"	15 Oz	20



Pressure 6000 psi

Air is released
through filler nipple

Sheet Metal Body

Sealed barrel for non leakage of grease

Filling Options: Cartridge Filling, Suction filling, Bulk Filling

OKI - 126

**LEVER TYPE GREASE GUN
PISTOL MODEL**

- 1/8" NPT connecting thread with 12" (300 mm)
Flexible Hose and Jaw type coupler

CODE	PISTON	CAPACITY	STD PACK
126 - 15	3/8"	15 Oz	20
126 - 18	3/8"	8 Oz	20



Finish : Powder Coating



OKI - 127

MINI LEVER TYPE GREASE GUN

- Body C.I. Casting Iron Head
- Finish : Powder Coating

CODE	PISTON	CAPACITY	STD PACK
127 - 8	5/16"	8 Oz	30
127 - 10	5/16"	10 Oz	30



OKI - 128

SUCTION GUN

- Best for Oil based filled, Heating Oil, Motor Oil,
- Low and Heavy Viscosity Oil
- Sheet Metal Body and Head

CODE	CAPACITY	FINISH	STD PACK
128 - 15	15 Oz	Metal Body	25
128 - 15A	15 Oz	Plastic Body	25



Needs no Priming Fully Serviceable

OKI - 129

PUSH TYPE GREASE GUN

- Threads Available :
1/8" BSP
M 10x1
1/8" NPT
- Fine Threads on Caps

CODE	CAPACITY	FINISH	STD PACK
129 - 4	4 Oz	Metal Body	50
129 - 4A	4 Oz	Plastic Body	50




Continuous Grease flow can be achieved by pressing the Trigger fully.

OKI - 130

SILICON GUN

- 1/8" NPT connecting thread with 12" (300 mm) Flexible Hose and Jaw type coupler

CODE	CAPACITY	TYPE	STD PACK
130 - A	9"	Skeleton / Caulking	50
130 - B	9"	Half Round	50



Powerful Spring Trigger Action
all metal construction
Hardened clutch plate.



OKI - 131

PINT TYPE OIL CANS

WESCO TYPE

- Body of Oil Can is seamless drawn from heavy duty tin gauge / CRC sheet.
- **Finish** : Powder Coating
- **Color** : As per customer choice
- **Rim** : Prevents oil from dripping
DETACHABLE rigid and fixed spout available

CODE	PUMP	CAPACITY	STD PACK
131 - 1/4	Steel	1/4 Pint	100
131 - 1/2	Steel	1/2 Pint	100
131 - 3/4	Steel	3/4 Pint	100
131 - 1	Steel	1 Pint	100



OKI - 132

PERFETTO TYPE OIL CANS

- Pump mechanism delivers large volume of oil as it is fitted with two ball valve
- Available with Fixed / Flexible Spout

CODE	PUMP	CAPACITY	STD PACK
132 - 200	Steel	200 CC	100
132 - 300	Steel	300 CC	100
132 - 500	Steel	500 CC	100



OKI - 133

PLASTIC MODEL OIL CANS

- Plastic Body
- Available with Fixed / Flexible Spout

CODE	PUMP	CAPACITY	STD PACK
133 - 300	Plastic	300 CC	100
133 - 500	Plastic	500 CC	100



OKI - 134

PISTEL TYPE OIL CANS

PISTOL MODEL

- Pump mechanism delivers large volume of oil as It is fitted with two ball valve
- Provided with heavy duty trigger
- Available with Fixed Spout

CODE	PUMP	CAPACITY	STD PACK
134 - 125	Steel	125 CC	100
134 - 180	Steel	180 CC	100





OKI - 135

HAND ROTARY PUMPS

- Used for transferring non-corrosive petroleum based fluids light to medium viscosity.
- Cast Iron Housing Steel Suction Tube and discharge spout

CODE	CAPACITY	FINISH	STD PACK
135 - 3/4	3/4	Paint	4
135 - 1	1	Paint	4
135 - 1½	1½	Paint	2



Siphon or Transfer Fluids

OKI - 136

CHEMICAL PUMPS

- Plastic Body for Chemical Dispensing

CODE	CAPACITY	FINISH	STD PACK
136 - 1	1	Plastic Body	4



OKI - 137A

BUCKET GREASE PUMP WITHOUT TROLLEY

CODE	CAPACITY	STD PACK
137A - 5	5 Kgs.	1
137A - 10	10 Kgs.	1
137A - 15	15 Kgs.	1
137A - 20	20 Kgs.	1

OKI - 137B

BUCKET GREASE PUMP WITH TROLLEY

CODE	CAPACITY	STD PACK
137B - 5	5 Kgs.	1
137B - 10	10 Kgs.	1
137B - 15	15 Kgs.	1
137B - 20	20 Kgs.	1



Pump body with cast head and Solid Steel Pump Chamber

Use full for clean greasing of Automotive Vehicles & Machinery

Portable, High Pressure Hand Operated



OKI - 138

ALLEN KEY WRENCH

- For Hexagon Socket Head Screws
- Carbon Steel

METRIC SIZES

CODE	SIZE	LENGTH IN MM	WEIGHT IN GMS.	STD. PACKING
138 - 2	2	50	2	
138 - 2.5	2.5	56	3	
138 - 3	3	63	5	
138 - 4	4	71	10	
138 - 5	5	80	20	
138 - 6	6	90	30	
138 - 7	7	95	40	
138 - 8	8	100	60	
138 - 9	9	106	90	
138 - 10	10	112	105	
138 - 12	12	125	170	
138 - 14	14	141	270	
138 - 17	17	160	445	
138 - 18	18	180	630	
138 - 22	22	200	910	
138 - 24	24	224	1280	

CODE	SETS IN MM	STD. PACKING
70M	2, 2.5, 3, 4, 5, 6, 8	
71M	2.5, 3, 4, 5, 6, 8, 10	
80M	3, 4, 5, 6, 8, 10, 12, 14	
90M	2, 2.5, 3, 4, 5, 6, 7, 8, 10	



AMERICAN SIZES

CODE	SIZE	LENGTH IN MM	WEIGHT IN GMS.	STD. PACKING
138 - 1/16	1/16	46	1	
138 - 5/64	5/64	50	2	
138 - 3/32	3/32	52	3	
138 - 1/8	1/8	57	5	
138 - 5/32	5/32	63	10	
138 - 3/16	3/16	68	15	
138 - 7/32	7/32	75	20	
138 - 1/4	1/4	81	30	
138 - 5/16	5/16	94	50	
138 - 3/8	3/8	105	95	
138 - 1/2	1/2	129	200	
138 - 9/16	9/16	140	275	
138 - 5/8	5/8	152	315	
138 - 3/4	3/4	175	615	

CODE	SETS IN WW	STD. PACKING
70S	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4	
80S	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16	
90S	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	





OKI - 200

DOUBLE OPEN END SPANNER
PRESS PANEL / COLD STAMPED

- Drop forged from Special Steel.
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished


EACH HEAD SET AT

15°
ANGLE



DIN 3110

CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
200 - 6 x 7	6 x 7	1/4 x 5/16	23.8	800
200 - 8 x 9	8 x 9	5/16 x 3/8	26.0	600
200 - 10 x 11	10 x 11	3/8 x 7/16	25.0	400
200 - 12 x 13	12 x 13	7/16 x 1/2	24.8	300
200 - 14 x 15	14 x 15	1/2 x 9/16	23.6	200
200 - 16 x 17	16 x 17	5/8 x 11/16	26.3	160
200 - 18 x 19	18 x 19		24.7	120
200 - 20 x 22	20 x 22	13/16 x 7/8	23.9	100
200 - 21 x 23	21 x 23	13/16 x 15/16	23.8	80
200 - 24 x 27	24 x 27	15/16 x 1.1/16	22.0	60
200 - 25 x 28	25 x 28	1 x 1.1/8	17.8	40
200 - 30 x 32	30 x 32	1.1/16 x 1.1/4	22.7	40
200 - 32 x 36	32 x 36			
200 - 36 x 41	36 x 41			
200 - 41 x 46	41 x 46			
200 - 46 x 50	46 x 50			



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
200 - 6M	6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
200 - 8M	8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
200 - 12M	12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SAE SIZES SETS

CODE	No. of Pcs./ Set	SIZE SAE
200 - 5S	5	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 11/16, 19/32, 5/8 x 3/4
200 - 7S	7	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 13/16 x 7/8, 15/16 x 1"
200 - 8S	8	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8, 15/16 x 1"



*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 201


COMBINATION SPANNER PRESS PANEL / COLD STAMPED

- Drop forged from Special Steel.
 - Fully Hardened and Tempered.
 - Chrome Plated
 - Head Mirror Polished
-
- Ring & Open End are same size.

EACH HEAD SET AT
15°
ANGLE



DIN 3113



CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
201 - 6	6	1/4	20.4	1000
201 - 7	7		24.4	1000
201 - 8	8	5/16	23.8	800
201 - 9	9		20.3	600
201 - 10	10	3/8	26.0	600
201 - 11	11	7/16	23.9	500
201 - 12	12		25.3	400
201 - 13	13	1/2	23.6	300
201 - 14	14	9/16	27.6	300
201 - 15	15		21.1	200
201 - 16	16	5/8	22.0	200
201 - 17	17	11/16	25.6	200
201 - 18	18		27.5	160
201 - 19	19	3/4	21.2	120
201 - 20	20		25.0	120
201 - 21	21	13/16	22.2	100
201 - 22	22	7/8	22.2	100
201 - 23	23		22.2	80
201 - 24	24	15/16	23.4	80
201 - 25	25	1"	26.3	60
201 - 26	26		24.8	60
201 - 27	27	1.1/16	26.0	60
201 - 28	28	1.1/8	19.4	40
201 - 29	29		21.0	40
201 - 30	30	1.3/16	23.2	40
201 - 32	32	1.1/4	26.3	40
201 - 33	33			
201 - 34	34			
201 - 35	35			
201 - 36	36			
201 - 38	38			
201 - 41	41			
201 - 46	46			
201 - 50	50			



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
201 - 6M	6	8, 10, 12, 13, 14, 17
201 - 8M	8	8, 9, 10, 11, 13, 14, 17, 19
201 - 12M	12	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22
201 - 14M	14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24
201 - 26M	26	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32

AMERICAN SIZES (SAE) SETS

CODE	No. of Pcs./ Set	SIZE SAE
201 - 5S	5	3/8, 7/16, 1/2, 9/16, 5/8
201 - 11S	11	1/4, 5/16, 3/8, 7/16, 1/2, 7/16, 5/8, 11/16, 3/4, 13/16, 7/8
201 - 12S	12	1/4, 5/16, 3/8, 7/16, 1/2, 7/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"

*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 202

RING SPANNER

PRESS PANEL / COLD STAMPED


- Drop forged from Special Steel.
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished

EACH HEAD SET AT
15°
ANGLE



DIN 838

CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
202 - 6 x 7	6 x 7	1/4 x 5/16	23.8	400
202 - 8 x 9	8 x 9	5/16 x 3/8	22.4	300
202 - 10 x 11	10 x 11	3/8 x 7/16	22.3	240
202 - 12 x 13	12 x 13	7/16 x 1/2	24.2	200
202 - 14 x 15	14 x 15	1/2 x 9/16	23.7	160
202 - 16 x 17	16 x 17	5/8 x 11/16	19.7	120
202 - 18 x 19	18 x 19		19.1	80
202 - 20 x 22	20 x 22	13/16 x 7/8	24.6	80
202 - 21 x 23	21 x 23	13/16 x 15/16	21.5	60
202 - 24 x 27	24 x 27	15/16 x 1.1/16	17.5	40
202 - 25 x 28	25 x 28	1 x 1.1/8	19.5	40
202 - 30 x 32	30 x 32	1.1/16 x 1.1/4	23.6	40
202 - 36 x 41	36 x 41			



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
202 - 6M	6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
202 - 8M	8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
202 - 12M	12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SAE SIZES SETS

CODE	No. of Pcs./ Set	SIZE SAE
202 - 5S	5	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 11/16, 19/32, 5/8 x 3/4
202 - 7S	7	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 13/16 x 7/8, 15/16 x 1"
202 - 8S	8	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8, 15/16 x 1"



*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 203

**DOUBLE OPEN END SPANNER
ELLIPTICAL PATTERN**

- Drop forged from Chrome Vanadium Steel / Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished
- Available in Fully Polished / Satin Finish


EACH HEAD SET AT

15°
ANGLE



DIN 3110

CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
203 - 6 x 7	6 x 7	1/4 x 5/16	12.6	800
203 - 8 x 9	8 x 9	5/16 x 3/8	17.0	600
203 - 10 x 11	10 x 11	3/8 x 7/16	16.2	400
203 - 12 x 13	12 x 13	7/16 x 1/2	17.3	300
203 - 14 x 15	14 x 15	1/2 x 9/16	15.6	200
203 - 16 x 17	16 x 17	5/8 x 11/16	16.5	160
203 - 18 x 19	18 x 19		14.6	120
203 - 20 x 22	20 x 22	13/16 x 7/8	18.0	100
203 - 21 x 23	21 x 23	13/16 x 15/16	16.2	80
203 - 24 x 27	24 x 27	15/16 x 1.1/16	14.6	60
203 - 25 x 28	25 x 28	1 x 1.1/8	18.0	40
203 - 30 x 32	30 x 32	1.1/16 x 1.1/4	17.4	40
203 - 32 x 36	32 x 36			
203 - 36 x 41	36 x 41			
203 - 41 x 46	41 x 46			
203 - 46 x 50	46 x 50			



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
203 - 6M	6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
203 - 8M	8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
203 - 12M	12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SAE SIZES SETS

CODE	No. of Pcs./ Set	SIZE SAE
203 - 5S	5	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 11/16, 19/32, 5/8 x 3/4
203 - 7S	7	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 13/16 x 7/8, 15/16 x 1"
203 - 8S	8	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8, 15/16 x 1"



*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 204


**COMBINATION SPANNER
ELLIPTICAL PATTERN**

- Drop forged from Chrome Vanadium Steel / Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished
- Available in Fully Polished / Satin Finish

EACH HEAD SET AT
15°
ANGLE



DIN 3113



CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
204 - 6	6	1/4	20.4	1000
204 - 7	7		21.4	1000
204 - 8	8	5/16	23.0	800
204 - 9	9		21.8	600
204 - 10	10	3/8	24.2	600
204 - 11	11	7/16	23.9	500
204 - 12	12		22.2	400
204 - 13	13	1/2	21.5	300
204 - 14	14	9/16	23.3	300
204 - 15	15		17.8	200
204 - 16	16	5/8	21.4	200
204 - 17	17	11/16	26.4	200
204 - 18	18		23.2	160
204 - 19	19	3/4	21.6	120
204 - 20	20		22.0	120
204 - 21	21	13/16	21.2	100
204 - 22	22	7/8	23.1	100
204 - 23	23		20.6	80
204 - 24	24	15/16	23.7	80
204 - 25	25	1"	20.8	60
204 - 26	26		21.0	60
204 - 27	27	1.1/16	24.7	60
204 - 28	28	1.1/8	19.3	40
204 - 29	29		19.9	40
204 - 30	30	1.3/16	24.7	40
204 - 32	32	1.1/4	26.3	40
204 - 33	33			
204 - 34	34			
204 - 35	35			
204 - 36	36			
204 - 38	38			
204 - 41	41			
204 - 46	46			
204 - 50	50			



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
204 - 6M	6	8, 10, 12, 13, 14, 17
204 - 8M	8	8, 9, 10, 11, 13, 14, 17, 19
204 - 12M	12	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22
204 - 14M	14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24
204 - 26M	26	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32

AMERICAN SIZES (SAE) SETS

CODE	No. of Pcs./ Set	SIZE SAE
204 - 5S	5	3/8, 7/16, 1/2, 9/16, 5/8
204 - 11S	11	1/4, 5/16, 3/8, 7/16, 1/2, 7/16, 5/8, 11/16, 3/4, 13/16, 7/8
204 - 12S	12	1/4, 5/16, 3/8, 7/16, 1/2, 7/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"

*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 205

**RING SPANNER
ELLIPTICAL PATTERN**


- Drop forged from Chrome Vanadium Steel / Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished
- Available in Fully Polished / Satin Finish

EACH HEAD SET AT
15°
ANGLE



DIN 838

CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
205 - 6 x 7	6 x 7	1/4 x 5/16	18.0	400
205 - 8 x 9	8 x 9	5/16 x 3/8	24.9	300
205 - 10 x 11	10 x 11	3/8 x 7/16	25.2	240
205 - 12 x 13	12 x 13	7/16 x 1/2	27.6	200
205 - 14 x 15	14 x 15	1/2 x 9/16	27.0	160
205 - 16 x 17	16 x 17	5/8 x 11/16	26.9	120
205 - 18 x 19	18 x 19		21.1	80
205 - 20 x 22	20 x 22	13/16 x 7/8	29.0	80
205 - 21 x 23	21 x 23	13/16 x 15/16	23.1	60
205 - 24 x 27	24 x 27	15/16 x 1.1/16	29.1	60
205 - 25 x 28	25 x 28	1 x 1.1/8	24.2	40
205 - 30 x 32	30 x 32	1.1/16 x 1.1/4	27.0	40
205 - 36 x 41	36 x 41			



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
205 - 6M	6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
205 - 8M	8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
205 - 12M	12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SAE SIZES SETS

CODE	No. of Pcs./ Set	SIZE SAE
205 - 5S	5	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 11/16, 19/32, 5/8 x 3/4
205 - 7S	7	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 13/16 x 7/8, 15/16 x 1"
205 - 8S	8	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8, 15/16 x 1"





*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 206

JUMBO SPANNER

- Drop forged from Chrome Vanadium Steel / Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated, Matt Finish
- Elliptical Pattern Available



CODE	SIZES MM	G.W. Kgs.	STD. Packing
206 - 33	33	18.5	20
206 - 34	34	18.5	20
206 - 35	35	14.5	10
206 - 36	36	14.5	10
206 - 38	38	14.5	10
206 - 41	41	15.0	10
206 - 46	46	16.0	10
206 - 50	50	14.5	6

METRIC SIZES SETS

No. of Pcs./ Set	SIZE MM
8	33, 34, 35, 36, 38, 41, 46, 50

*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 207

**DOUBLE OPEN END SPANNER
RECESSED PATTERN**

- Drop forged from Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished


EACH HEAD SET AT

15°
ANGLE



DIN 3110

CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
207 - 6 x 7	6 x 7	1/4 x 5/16	23.8	800
207 - 8 x 9	8 x 9	5/16 x 3/8	26.0	600
207 - 10 x 11	10 x 11	3/8 x 7/16	25.0	400
207 - 12 x 13	12 x 13	7/16 x 1/2	24.8	300
207 - 14 x 15	14 x 15	1/2 x 9/16	23.6	200
207 - 16 x 17	16 x 17	5/8 x 11/16	26.3	160
207 - 18 x 19	18 x 19		24.7	120
207 - 20 x 22	20 x 22	13/16 x 7/8	23.9	100
207 - 21 x 23	21 x 23	13/16 x 15/16	23.8	80
207 - 24 x 27	24 x 27	15/16 x 1.1/16	22.0	60
207 - 25 x 28	25 x 28	1 x 1.1/8	17.8	40
207 - 30 x 32	30 x 32	1.1/16 x 1.1/4	22.7	40



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
207 - 6M	6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
207 - 8M	8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
207 - 12M	12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SAE SIZES SETS

CODE	No. of Pcs./ Set	SIZE SAE
207 - 5S	5	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 11/16, 19/32, 5/8 x 3/4
207 - 7S	7	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 13/16 x 7/8, 15/16 x 1"
207 - 8S	8	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8, 15/16 x 1"



*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 208


**COMBINATION SPANNER
RECESSED PATTERN**

- Drop forged from Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished

EACH HEAD SET AT
15°
ANGLE



DIN 3113



CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
208 - 6	6	1/4	17.6	1000
208 - 7	7		19.5	1000
208 - 8	8	5/16	20.0	800
208 - 9	9		22.4	600
208 - 10	10	3/8	22.4	600
208 - 11	11	7/16	25.4	500
208 - 12	12		20.6	400
208 - 13	13	1/2	21.2	300
208 - 14	14	9/16	24.8	300
208 - 15	15		17.8	200
208 - 16	16	5/8	19.8	200
208 - 17	17	11/16	26.4	200
208 - 18	18		21.0	160
208 - 19	19	3/4	17.8	120
208 - 20	20		21.0	120
208 - 21	21	13/16	22.6	100
208 - 22	22	7/8	20.6	100
208 - 23	23		18.8	80
208 - 24	24	15/16	20.2	80
208 - 25	25	1"	18.5	60
208 - 26	26		19.5	60
208 - 27	27	1.1/16	20.3	60
208 - 28	28	1.1/8	18.0	40
208 - 29	29		17.8	40
208 - 30	30	1.3/16	19.6	40
208 - 32	32	1.1/4	21.3	40

METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
208 - 6M	6	8, 10, 12, 13, 14, 17
208 - 8M	8	8, 9, 10, 11, 13, 14, 17, 19
208 - 12M	12	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22
208 - 14M	14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24
208 - 26M	26	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32

AMERICAN SIZES (SAE) SETS

CODE	No. of Pcs./ Set	SIZE SAE
208 - 5S	5	3/8, 7/16, 1/2, 9/16, 5/8
208 - 11S	11	1/4, 5/16, 3/8, 7/16, 1/2, 7/16, 5/8, 11/16, 3/4, 13/16, 7/8
208 - 12S	12	1/4, 5/16, 3/8, 7/16, 1/2, 7/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"

*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 209

**RING SPANNER
RECESSED PATTERN**


- Drop forged from Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished

EACH HEAD SET AT
15°
ANGLE



DIN 838

CODE	SIZES		G.W. Kgs.	STD. Packing
	MM	SAE		
209 - 6 x 7	6 x 7	1/4 x 5/16	23.8	400
209 - 8 x 9	8 x 9	5/16 x 3/8	22.4	300
209 - 10 x 11	10 x 11	3/8 x 7/16	22.3	240
209 - 12 x 13	12 x 13	7/16 x 1/2	24.2	200
209 - 14 x 15	14 x 15	1/2 x 9/16	23.7	160
209 - 16 x 17	16 x 17	5/8 x 11/16	19.7	120
209 - 18 x 19	18 x 19		19.0	80
209 - 20 x 22	20 x 22	13/16 x 7/8	24.6	80
209 - 21 x 23	21 x 23	13/16 x 15/16	21.5	60
209 - 24 x 27	24 x 27	15/16 x 1.1/16	17.5	40
209 - 25 x 28	25 x 28	1 x 1.1/8	19.5	40
209 - 30 x 32	30 x 32	1.1/16 x 1.1/4	23.6	40



METRIC SIZES SETS

CODE	No. of Pcs./ Set	SIZE MM
209 - 6M	6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
209 - 8M	8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
209 - 12M	12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SAE SIZES SETS

CODE	No. of Pcs./ Set	SIZE SAE
209 - 5S	5	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 11/16, 19/32, 5/8 x 3/4
209 - 7S	7	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 13/16 x 7/8, 15/16 x 1"
209 - 8S	8	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8, 15/16 x 1"



*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 210

DOUBLE OPEN END SPANNER SHORT PATTERN

- Drop forged from Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated
- Head Mirror Polished



METRIC SIZES SETS


No. of Pcs./ Set	SIZE MM
6	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
12	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SIZES	
MM	SAE
6 x 7	1/4 x 5/16
8 x 9	5/16 x 3/8
10 x 11	3/8 x 7/16
12 x 13	7/16 x 1/2
14 x 15	1/2 x 9/16
16 x 17	5/8 x 11/16
18 x 19	
20 x 22	13/16 x 7/8
21 x 23	13/16 x 15/16
24 x 27	15/16 x 1.1/16
25 x 28	1 x 1.1/8
30 x 32	1.1/16 x 1.1/4

OKI - 211

COMBINATION SPANNER RAISED PANEL

- Drop forged from Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated



SIZES	
MM	SAE
6	1/4
7	
8	5/16
9	
10	3/8
11	7/16
12	
13	1/2
14	9/16
15	
16	5/8
17	11/16
18	
19	3/4
20	
21	13/16
22	7/8
23	
24	15/16
25	1"
26	
27	1.1/16
28	1.1/8
29	
30	1.3/16
32	1.1/4

METRIC SIZES SETS

No. of Pcs./ Set	SIZE MM
11	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19
12	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22

AMERICAN SIZES (SAE) SETS

No. of Pcs./ Set	SIZE SAE
11	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8,
12	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"




*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 212

SINGLE END OPEN JAW SPANNER

- Drop forged from Carbon Steel
- Fully Hardened and Tempered.
- Chrome Plated / Phosphated



SIZES	
MM	MM
6	24
7	25
8	27
9	30
10	32
11	36
12	38
13	41
14	46
15	50
16	55
17	60
19	65
20	70
21	75
22	80
23	85

OKI - 213

SLOGGING WRENCHES

- Drop forged from Special Steel
- Fully Hardened and Tempered.
- Chrome Plated / Phosphated



**OPEN END
SLOGGING WRENCHES**

SIZES
MM
36
41
46
50
55
60
65
70
75



**RING
SLOGGING WRENCHES**

SIZES
MM
36
41
46
50
55
60
65
70
75



**RING (DEEP OFFSET)
SLOGGING WRENCHES**

SIZES
MM
46
50
55
60
65
70
80
85

*Due to constant technical up-gradation Specification, Designs etc. may be modified without prior notification.



OKI - 214

COMBINATION PLIER

- Hot Forged from Selected Special Steel for Quality.
- Induction Hardened Jaws
- Choice of Dual Component Sleeve / Single Color Sleeve Insulation
- Finger Protection stops hand Slipping, ensuring maximum safety.

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
214 - 6	150	6	240	96
214 - 7	175	7	312	72
214 - 8	200	8	340	60



CAUTION : DO NOT USE ON LIVE WIRE

OKI - 215

LONG NOSE PLIER

- Hot Forged from Selected Special Steel
- Induction Hardened Jaws
- Choice of Dual Component Sleeve / Single Color Sleeve Insulation
- Finger Protection stops hand Slipping, ensuring maximum safety.

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
215 - 6	150	6	180	96
215 - 7	175	7	215	72
215 - 8	200	8	230	60



OKI - 216

SIDE CUTTING PLIER

- Hot Forged from Selected Special Steel
- Induction Hardened Jaws
- Choice of Dual Component Sleeve / Single Color Sleeve Insulation
- Finger Protection stops hand Slipping, ensuring maximum safety.

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
216 - 6	150	6	6	96
216 - 7	175	7	7	72
216 - 8	200	8	8	60



OKI - 217

BENT NOSE PLIER

- Hot Forged from Selected Special Steel
- Induction Hardened Jaws
- Choice of Dual Component Sleeve / Single Color Sleeve Insulation
- Finger Protection stops hand Slipping, ensuring maximum safety.

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
217 - 6	150	6	180	96
217 - 7	175	7	215	72
217 - 8	200	8	230	60





OKI - 218

**WATER PUMP PLIER
GROOVE JOINT**

- Drop Forged from Selected Special Steel
- Hardened & Tempered
- Best for Plumbing Work Gripping Nuts
- Finish : Black Phosphated, Polished / Nickle Chrome Plated

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
218 - 10	250	10	360	60



Automatically clamps on Pipe & Nuts.

OKI - 219

**WATER PUMP PLIER
BOX JOINT (WITHOUT SLEEVE)**

- Drop Forged from Selected Special Steel
- Hardened & Tempered
- Induction Hardened Serrated Jaws for gripping hardened surfaces
- Best for Plumbing Work Gripping Nuts
- Finish : Black Phosphated, Polished / Nickle Chrome Plated

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
219 - 10	250	10	380	60
219 - 12	300	12	580	48



Automatically clamps on Pipe & Nuts.

OKI - 220

**WATER PUMP PLIER
BOX JOINT (WITH SLEEVE)**

- Drop Forged from Selected Special Steel
- Hardened & Tempered
- Induction Hardened Serrated Jaws for gripping hardened surfaces
- Best for Plumbing Work Gripping Nuts
- Finish : Black Phosphated, Polished / Nickle Chrome Plated

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
220 - 10	250	10	400	60
220 - 12	300	12	630	48



Dip Sleeve Choice of
Double Dip/Single Dip Sleeve

Automatically clamps on Pipe & Nuts.

OKI - 221

SLIP JOINT PLIER

- Drop Forged from Selected Special Steel
- Hardened & Tempered
- Best for Plumbing Work Gripping Nuts
- Finish : Black Phosphated, Polished / Nickle Chrome Plated

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
221 - 6	150	6	150	72



For Light Jobs



OKI - 222

CARPENTER PINCER PLIER

- Drop Forged from Carbon Steel
- Fully Hardened & Tempered
- Rust Preventive Coating
- Available in Powder Coating

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
222 - 6	150	6	220	6
222 - 7	175	7	242	7
222 - 8	200	8	294	8



OKI - 223

PIPE WRENCH

STILLSON PATTERN

- Drop Forged from Carbon Steel
- Duly Hardened
- Jaws angled against the direction of turn
- Epoxy Powder Coated
- Jaws Induction Hardened

CODE	SIZE		STD. Packing
	MM	INCH	
223 - 8	200	8	60
223 - 10	250	10	40
223 - 12	300	12	30
223 - 14	350	14	20
223 - 18	450	18	12
223 - 24	600	24	8
223 - 36	900	36	4
223 - 48	1200	48	2



OKI - 224

ADJUSTABLE WRENCH

DROP FORGED

- Chrome Vanadium / Carbon Steel
- FINISH : Nickle Chrome Plated / Black Finish / Phosphated
- Fully Hardened & Tempered

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
224 - 8	205	8	240	60
224 - 10	255	10	420	48
224 - 12	350	12	660	32





OKI - 225

LOCKING GRIP PLIER

- For Jobs to grip, hold for longer period of time, locking the position

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
225 - 10	250	10	510	60




OKI - 226

TOP CUTTER

KNIPEX TYPE

- Drop Forged from Carbon Steel
- Duly Hardened
- Rust Preventive Coating
- Available with or without Sleeve / Painted
- Head Polished

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
226 - 6	150	6	170	96
226 - 8	200	8	210	72



OKI - 227

TOWER PINCER

FLAT HEAD

- Drop Forged from Carbon Steel
- Fully Hardened & Tempered
- Rust Preventive Coating
- Available in Powder Coating

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
227 - 8	200	8	190	84
227 - 9	225	9	205	72
227 - 10	250	10	270	60



With Dip Insulation

OKI - 228

TOWER PINCER

ROUND HEAD

- Drop Forged from Carbon Steel
- Fully Hardened & Tempered
- Rust Preventive Coating
- Available in Powder Coating

CODE	SIZE		Net Wt. Gms.	STD. Packing
	MM	INCH		
228 - 6	150	6	170	96
228 - 7	175	7	185	72
228 - 8	200	8	240	60





OKI - 229

G CLAMP

DROP FORGED

- Clamping for Workmanship

CODE	SIZE	
	MM	INCH
229 - 2	50	2
229 - 3	75	3
229 - 4	100	4
229 - 5	125	5
229 - 6	150	6
229 - 8	200	8
229 - 10	250	10
229 - 12	300	12
229 - 14	350	14




OKI - 230

BEARING PULLERS

- 2 Legs & 3 Legs

CODE	SIZE MM	WEIGHT IN GMS.
230 - 75	75	550
230 - 100	100	770
230 - 150	150	1500
230 - 200	200	2000
230 - 250	250	3200
230 - 300	300	3500



2 Legs



3 Legs

OKI - 231`

WRECKING BAR

DOUBLE BEND

- Drop Forged from Carbon Steel
- Induction Hardened and Tempered
- Epoxy Coated

CODE	SIZE MM
231 - 450	16 x 450
231 - 500	16 x 500
231 - 600	16 x 600
231 - 450A	18 x 450
231 - 500A	18 x 500
231 - 600A	18 x 600





OKI - 232

NAIL PULLER

SINGLE BEND

- Drop Forged from Carbon Steel
- Available in With Grip & Without Grip
- Tip Hardened

CODE	SIZE	
	MM	INCH
232 - 250	250	10"x12mm
232 - 300	300	12"x 12mm
232 - 250A	250	10"x 16mm
232 - 300A	300	12"x 16mm



OKI - 233

MASON CHISEL

FLAT CUT

- Made out of Carbon Steel
- Tip Hardened
- With or Without Grip
- Powder Coated

CODE	SIZE	
	MM	INCH
233 - 6	150	6
233 - 8	200	8
233 - 10	250	10
233 - 12	300	12
233 - 14	350	14
233 - 16	400	16
233 - 18	450	18
233 - 24	600	24



OKI - 234

MASON CHISEL

POINTED

- Made out of Carbon Steel
- Tip Hardened
- With or Without Grip
- Powder Coated

CODE	SIZE	
	MM	INCH
234 - 6	150	6
234 - 8	200	8
234 - 10	250	10
234 - 12	300	12
234 - 14	350	14
234 - 16	400	16
234 - 18	450	18
234 - 24	600	24





OKI - 235

**CLAW HAMMER
WITH TUBULAR HANDLE**

- Drop Forged from Carbon Steel
- Hardened & Tempered
- Claws accurately machined for fine gripping edges / tubular steel handle with rubber grip.

SIZE LBS.	WEIGHT IN GMS.
1/2	225
1	450



Hard Faced for Metal Work
Steel Tube Handle & Plastic Grip
Used to drive and remove nails.
Very Robust and Durable.

OKI - 236

**CLAW HAMMER
WITH WOODEN HANDLE**

- Drop Forged from Carbon Steel
- Hardened & Tempered
- Claws accurately machined for fine gripping edges / Fitted with seasoned and chemically treated wooden handle

SIZE LBS.	WEIGHT IN GMS.
1/2	225
3/4	350
1	450



The claw serves as a mini-axe
to split wood blocks or chop off
board edges.

OKI - 237

MACHINIST HAMMER

- Drop Forged from Carbon Steel
- Hardened & Tempered
- Fitted with seasoned and chemically treated wooden handle

WEIGHT IN GMS.	WEIGHT IN GMS.
100	500
150	800
200	1000
250	1500
300	2000



Machinist Hammers are mostly used
by people who work with metal or
around machine.

OKI - 238

BALL PEIN HAMMER

- Drop Forged from Carbon Steel
- Hardened & Tempered
- Fitted with seasoned and chemically treated wooden handle

WEIGHT IN GMS.	WEIGHT IN GMS.
100	500
200	600
300	800



Bends and Shapes Metal

The Ball as a smaller diameter than the
surface and is used for striking areas
which are too small for the face to enter

The wedge shape spreads the metal
perpendicular to the edge of the head.

We ensure that the hammer head & shaft
are securely fitted for safety



OKI - 239

SOFT FACED HAMMER

- They Prevent damage to the striking surfaces
- They have replaceable heads used in motor, Industrial Engineering
- Used in Garages for Repair - Denting Jobs

SIZE	MM
	20
	25
	30
	40
	50



Soft Faced Mallets Available

OKI - 240

TUBULAR HACKSAW FRAME

SQUARE TUBE

- With Plastic Handle
- With / Without Blade

SIZE	WEIGHT
INCH	IN GMS.
12"	375



Used for cutting materials such as Wood, metal or plastics
Hand used tool : To be used with safety
Suggest use of Gloves during operation

OKI - 241

TUBULAR HACKSAW FRAME

ROUND TUBE

- With Plastic Handle
- With / Without Blade

SIZE	WEIGHT
INCH	IN GMS.
12"	390



OKI - 242

JUNIOR HACKSAW
WITH SOLID HANDLE

- With Solid Hande

SIZE	WEIGHT
INCH	IN GMS.
12"	390





**OKI - 300
CAST IRON BENCH VICE**

FIXED BASE


- Body made of Cast Iron
- Duly Hardened and Knurled
- Jaws made out of Carbon Steel.

SIZE		WEIGHT IN GMS.
MM	INCH	
80	3"	5.5
100	4"	9.5
125	5"	16.0
150	6"	20.0
200	8"	28.0
250	10"	46.0
300	12"	55.0

Manufactured from High Quality Steel.

Vice Jaws from Special Steel

Accurately machined for smooth operation



**OKI - 301
CAST IRON BENCH VICE**

SWIVEL BASE


- Body made of Cast Iron
- Duly Hardened and Knurled
- Jaws made out of Carbon Steel.

SIZE		WEIGHT IN GMS.
MM	INCH	
80	3"	7.0
100	4"	11.5
125	5"	20.0
150	6"	24.0
200	8"	33.5
250	10"	58.0
300	12"	69.0

Manufactured from High Quality Steel.

Vice Jaws from Special Steel

Accurately machined for smooth operation



**OKI - 302
ALL STEEL BENCH VICE**

FIXED BASE


- Body made of Cast Iron
- Duly Hardened and Knurled
- Jaws made out of Carbon Steel.

SIZE		WEIGHT IN GMS.
MM	INCH	
80	3"	5.0
100	4"	5.8
125	5"	9.5
150	6"	12.0

Manufactured from High Quality Steel.

Vice Jaws from Special Steel

Accurately machined for smooth operation



**OKI - 303
ALL STEEL BENCH VICE**

SWIVEL BASE

- Body made of Cast Iron
- Duly Hardened and Knurled
- Jaws made out of Carbon Steel.

SIZE		WEIGHT IN GMS.
MM	INCH	
80	3"	5.5
100	4"	6.3
125	5"	10.5
150	6"	13.5

Manufactured from High Quality Steel.

Vice Jaws from Special Steel

Accurately machined for smooth operation





OKI - 401
SCREW DRIVER & KIT

- Engineer's Pattern
- Philips Head
- Electricians Pattern
- Screw Driver Reversible
- Screw Driver Tester with Neon
- Green Handle & Opaque Handles



OKI - 402
**OIL FILTER WRENCH
WITH CHAIN AVAILABLE**

- Light & Heavy Duty



OKI - 403
**OIL FILTER WRENCH
STRIP TYPE**



OKI - 404
**JACKS
CAPACITY 3 TO 75 TONNES**



A

**SINGLE SPINDLE
DOUBLE SPINDLE**




B



OKI - 606

STABILIZER ENDS


CODE	A1	A2	A3	A4
606 - A	122	18 x 2.5	39	14.5
606 - B	127	20 x 2.5	39	14.5
606 - C	134	22 x 2.5	55	2.5



OKI - 607

EYE ENDS


CODE	A1	A2	A3	A4	A5
607 - A	80	16 x 1.5	15	36	43
607 - B	80	18 x 2.5	15	36	43
607 - C	100	20 x 2.5	18	45	56
607 - D	125	24 x 2	24	53	65



OKI - 608

STABILIZER ENDS

CODE	A1	A2	A3	A4
608 - A	1/4"	1-1/2"	2"	3"
608 - B	5/16"	1-1/2"	2-1/4"	3-1/2"
608 - C	3/8"	1-1/2"	2-1/2"	4"
608 - D	1/2"	1-1/2"	3-1/4"	5-1/4"
608 - E	6/8"	1-3/4"	4"	6-1/2"
608 - F	1/4"	2-1/2"	4"	5"
608 - G	5/16"	2-1/2"	4-1/4"	5-1/2"
608 - H	3/8"	2-1/2"	6"	7-1/2"
608 - I	1/2"	3"	6"	7-3/4"






OKI - 700

HAIR PIN / GRIP CLIP, SINGLE SPIRE


CODE	A1	A2	A3	A4
700 - A	2	44	13	10-12
700 - B	2	51	13	10-12
700 - C	2	57	17	10-12
700 - D	2.5	46	13	11-13
700 - E	2.5	62	13	11-13
700 - F	3	52	18	12-16
700 - G	3	61	18	12-16
700 - H	3.5	67	18	15-21
700 - I	3.5	80	18	15-21
700 - J	4	76	18	16-30
700 - K	4	83	18	16-30
700 - L	4	90	18	16-30
700 - M	4.5	83	20	16-30
700 - N	4.5	93	20	20-30
700 - O	5	100	24	20-35
700 - P	5	108	30	20-35
700 - Q	6	114	24	28-45
700 - R	6	120	30	28-45
700 - S	6	115	42	28-45
700 - T	7	105	42	30-42
700 - U	7	163	45	30-45
700 - V	8	156	52	30-45
700 - W	8	162	45	45-60
700 - X	10	158	42	30-45



OKI - 701

STABILIZER ENDS


CODE	A1	A2	A3	A4
701 - A	122	18 x 2.5	39	14.5
701 - B	127	20 x 2.5	39	14.5
701 - C	134	22 x 2.5	55	2.5






OKI - 702
LINCH PINS

CODE	A1	A2	A3	A4	A5
702 - A	4.5	28.6	35	44	3
702 - B	4.5	33	41	51	3
702 - C	4.76	28.6	35.45	44	3
702 - D	6	36.5	45	54	3.2
702 - E	6	36.5	45	54	3.7 Black
702 - F	6.35	36.5	45	54	3.2
702 - G	7	36.5	45	55	3.3
702 - H	8	36.5	45	54	3.3
702 - I	8	36.5	45	54	3.7 Black
702 - J	9	36.5	45	56	3.3
702 - K	9.5	39	5	62	3.3
702 - L	10	36.5	45	56	3.5
702 - M	11	36.5	45	56	3.5
702 - N	11	39	51	66	4.5 Black
702 - O	11	39	51	62	3.5




OKI - 703
PTO PINS


CODE	A1	A2	A3	A4	A5	A6
703 - A	6	45	38	12	6	2.5
703 - B	6	65	58	12	6	2.5
703 - C	8	45	38	15	7	2.5
703 - D	8	65	58	15	7	2.5
703 - E	10	45	38	18	8	2.5
703 - F	10	65	58	18	8	2.5



OKI - 704
HAIR PIN / GRIP CLIP, DOUBLE SPIRE

CODE	A1	A2	A3	A4
704 - A	2	65	13	10-12
704 - B	3	71	18	12-16
704 - C	4	77	22	16-30
704 - D	4	93	22	17-24
704 - E	5	116	26	17-28
704 - F	6	143	30	32-48
704 - G	7	162	30	30-45





OKI - 900

TOP LINK REDUCER BUSHINGS

- Used in the pin hole of a top link to allow a smaller Category pin to fit.
- Yellow zinc dichromate plating.

CODE	DESCRIPTION	OUTSIDE DIA IN INCHES	INSIDE DIA IN INCHES	LENGTH IN INCHES
900 - 19	Fits all Category 0 Top Link Pins	3/4	5/8	1-5/8
900 - 22	Bushing, Toplink	1-1/4	1	1-3/4
900 - 27	Fits All Category 1 Top Link Pins; Replaces Ford C7NN6993A	1	3/4	1-15/16
900 - 30	Fits All Category 1 Top Link Pins; Short	1	3/4	1-5/8
900 - 32	Fits All Category 2 Top Links Pins	1-1/4	1	1-15/16



OKI - 901

LIFT ARM REDUCER BUSHINGS

- Used in the pin hole of a lift arm to allow a smaller Category pin to fit.
- Yellow zinc dichromate plating.

CODE	DESCRIPTION	OUTSIDE DIA IN INCHES	INSIDE DIA IN INCHES	LENGTH IN INCHES
901 - 19	Fits all Category 0 Lift Arm Pins	37/8	5/8	1-3/8
901 - 22	Fits all Category 1 Lift Arm Pins; Ford C7NN6992A	1-1/8	7/8	1-3/4
901 - 27	Fits All Category 1 Lift Arm Pins; Replaces John Deere F2684	1-1/8	7/8	1-3/8
901 - 30	Fits All Category 2 Lift Arm Pins	1-7/16	1-1/8	1-3/4
901 - 32	Fits All Category 2 Lift Arm Pins; Extra Long	1-7/16	1-1/8	3-1/4
	Fits All Category 2 Lift Arm Pins; 15/32" Lynch Pin Hole	1-7/16	1-1/8	2-1/2
	Fits All Category 2 Lift Arm Pins	1-7/16	1-1/8	2-3/4



OKI - 1000

STABILIZER STUB PINS

- Stabilizer stub pins for Ford, Ferguson and other stabilizer kits
- Yellow zinc dichromate plating.

CODE	DESCRIPTION	PIN DIA IN INCHES	USABLE LENGTH INCHES	OVERALL LENGTH IN INCHES	THREAD DIA	STD. PACKING
1000 - 1/2	STABILIZER STUB PIN	7/8	1/2	3-3/8	5/8 NF	5
1000 - 3/8	REPLACES FORD 230044, MASSEY-FERGUSON 18177M1	7/8	3/8	2-5/8	5/8 NF	5
1000 - 1-1/4	REPLACES FORD 141185, MASSEY-FERGUSON MF668154M1	7/8	1-1/4	3-1/8	5/8 NF	5
1000 - 1/2	STABILIZER STUB PIN	7/8	1/2	2-5/8	5/8 NF	5
1000 - 11/16	REPLACES MF186802M1	7/8	11/16	3-1/8	3/4 NF	5



Roll pin type



Head pin



116P Categories 2 and 3

OKI - 1001

STABILIZER PINS

- For use with implements with yolk type mountings
- All pins are yellow zinc dichromate plated

CODE	CAT	TYPE	PIN DIA IN INCHES	USABLE LENGTH INCHES	OVERALL LENGTH IN INCHES
1001 - 4-1/2	1	ROLL PIN	7/8	4-1/2	6
1001 - 3-5/16	2	ROLL PIN	1-1/8	3-5/16	4-3/4
1001 - 4-3/4	2	ROLL PIN	1-1/8	4-3/4	6-1/2
1001 - 5-3/8	2	ROLL PIN	1-1/8	5-3/8	7
1001 - 7-3/8	2	ROLL PIN	1-1/8	7-3/8	9
1001 - 9	2	ROLL PIN	1-1/8	9	10-3/4
1001 - 4-11/16	3	HEAD	1-7/16	4-11/16	6
1001 - 6-1/4	3	ROLL PIN	1-7/16	6-1/4	8-1/2
1001 - 3-5/8 & 1-7/16	2&3	HEAD	1-1/8 & 1-7/16	3-5/8 & 1-7/16	9-1/4



Category 1 & 2
Forged Implement Pin



Category 2



Category 1

OKI - 1002

DRAW PINS (LIFT ARM PINS)

- Forged and adjustable Category 0 through 3 draw pins for a variety of applications
- All pins are yellow zinc dichromate plated

CODE	CAT	DESCRIPTION	PIN DIA IN INCHES	USABLE LENGTH IN INCHES	OVERALL LENGTH IN INCHES	THREAD DIA IN INCHES
1002 - 3-7/8	0	ADJUSTABLE	5/8	ADJUSTABLE	3-7/8	5/8 NF
1002 - 4/5/8	1	ADJUSTABLE	7/8	ADJUSTABLE	4/5/8	7/8 NF
1002 - 5	1	ADJUSTABLE	7/8	ADJUSTABLE	5	7/8 NF
1002 - 5-1/2	1	FORGED	7/8	1-3/4	5-1/2	7/8 NF
1002 - 6-1/4	1	ADJUSTABLE ; EXTRA LONG	7/8	ADJUSTABLE	6-1/4	7/8 NF
1002 - 6-1/2	1	FORGED; EXTRA LONG	7/8	2-1/4	6-1/2	7/8 NF
1002 - 5	1	FORGED	7/8	2	5	5/8 NF
1002 - 4-1/2	1	FORGED	7/8	1-3/4	4-1/2	5/8 NF
1002 - 6-5/16	1 to 2	FORGED	1-1/8	2-1/4	6-5/16	7/8 NF
1002 - 5-1/4	1 to 2	ADJUSTABLE	1-1/8	ADJUSTABLE	5-1/4	7/8 NF
1002 - 5-1/4	1 to 2	FORGED	1-1/8	1-13/16	5-1/4	7/8 NF
1002 - 8	1 & 2	FORGED	1-1/8 & 7/8	2-1/16 BOTH	8	1 NF
1002 - 6-1/8	2	ADJUSTABLE	1-1/8	ADJUSTABLE	6-1/8	1-1/8 NF
1002 - 6-1/8	2	FORGED	1-1/8	1-3/4	6-1/8	1-1/8 NF
1002 - 5-3/4	2 to 1	FORGED	7/8	1-3/4	5-3/4	1-1/8 NF
1002 - 6-1/2	2 to 3	ADJUSTABLE	1-7/16	ADJUSTABLE	6-1/2	1-1/8 NF
1002 - 5-3/4	2 to 3	FORGED	1-7/16	1-7/8	5-3/4	1-1/8 NF
1002 - 5-7/8	3	FORGED	1-7/16	2	5-7/8	1-3/8 NF



OKI - 1003
TOP LINK PINS

- Sizes and style for Category 0 through 3 tractors
- All pins are yellow zinc dichromate plated

CODE	CAT	DESCRIPTION	PIN DIA IN INCHES	USABLE LENGTH IN INCHES	OVERALL LENGTH IN INCHES
1003 - 3	0	TOP LINK PIN	5/8	3	4-7/16
1003 - 2-3/4	1	REPLACES FORD 9N-560, FERGUSON 195647M1	3/4	2-3/4	4-1/2
1003 - 3	1	TOP LINK PIN	3/4	3	5-1/4
1003 - 3-7/8	1	LONG TOP LINK PIN; REPLACES FERGUSON 195589M1, AC339942	3/4	3-7/8	5-1/2
1003 - 4-3/4	1	EXTRA- LONG TOP LINK PIN; REPLACES FORD E381T9	3/4	4-3/4	6-3/8
1003 - 3-9/16	2	REPLACES FORD C5NN560A, MF185873M91, AC2090149/239888	1	3-9/16	5-1/4
1003 - 3	2	REPLACES FORD E27N995272	1	3	4-3/4
1003 - 4-3/8	2	REPLACES FORD C5NN486A	1	4-3/8	6
1003 - 5-3/8	2	REPLACES FORD E2016F9, AC345552	1	5-3/8	7-1/16
1003 - 4-1/4	2	TOP LINK PIN	1	4-1/4	6-1/8
1003 - 4-5/8	3	TOP LINK PIN	1-1/4	4-5/8	6-1/2
1003 - 3-9/16	1-2	TOP LINK STEPPED	3/4-1	3-9/16	6-3/4
1003 - 3	1-2	BOTTOM LINK STEPPED	7/8-1-1/8	3	7-1/2
1003 - 2-7/8	1-2-1	BOTTOM LINK STEPPED	7/8-1-1/8	2-7/8	8-3/8



OKI - 1004

CLEVIS PINS

- An economy hitch pin (clevis pin) for numerous
- All pins are yellow zinc dichromate plated

CODE	PIN DIA IN INCHES	USABLE LENGTH INCHES	OVERALL LENGTH IN INCHES
1004 - 1/2	1/2	5	6-3/8
1004 - 5/8	5/8	5	6-3/8
1004 - 3/4	3/4	5	6-3/8
1004 - 7/8	7/8	5	6-3/8
1004 - 1	1	5	6-3/8
1004 - 1-1/8	1-1/8	5	6-3/8



OKI - 1005

FIXED-HANDLE HITCH PINS

- Forged-head hitch pin with fixed handle and zinc plated "R" clip pin
- More than 25% stronger than Grade 2
- All pins are yellow zinc dichromate plated

CODE	PIN DIA IN INCHES	USABLE LENGTH INCHES	OVERALL LENGTH IN INCHES
1005 - 1/2	1/2	4-1/4	5-1/4
1005 - 5/8	5/8	4-1/4	5-1/4
1005 - 5/8	5/8	6-1/4	7-1/4
1005 - 3/4	3/4	4-1/4	5-1/2
1005 - 3/4	3/4	6-1/4	7-1/4
1005 - 7/8	7/8	4-1/4	5-1/4
1005 - 7/8	7/8	6-1/4	7-1/4
1005 - 1	1	6-1/4	7-1/4
1005 - 1-1/8	1-1/8	6-1/4	7-1/4



- One-piece, drop-forged
- Grade 5 performance hitch pins
- Made from high-strength steel and heat treated
- Zinc plated "R" clip pin included
- Yellow zinc dichromate plating



OKI - 1006

DROP-FORGED HITCH PINS

CODE	PIN DIA IN INCHES	USABLE LENGTH INCHES	OVERALL LENGTH IN INCHES	HANDLE
1006 - 1/2	1/2	3-1/2	5-11/32	WIRE
1006 - 5/8	5/8	6	9-3/16	SOLID
1006 - 3/4	3/4	4	7-7/16	SOLID
1006 - 3/4	3/4	6-1/4	9-7/16	SOLID
1006 - 7/8	7/8	4-1/4	7-3/4	SOLID
1006 - 7/8	7/8	6-1/2	10-11/16	SOLID
1006 - 1	1	4-3/4	8-17/32	SOLID
1006 - 1	1	6-3/4	10-17/32	SOLID
1006 - 1-1/8	1-1/8	7	11	SOLID
1006 - 1-1/4	1-1/4	7	11-1/8	SOLID
1006 - 1-3/8	1-3/8	7	11-27/32	SOLID
1006 - 1-1/2	1-1/2	8	12-23/32	SOLID

OKI - 1007A

HITCH PIN W CLAMP



CODE	PIN DIA IN INCHES	USABLE LENGTH INCHES
1007 - 1/2	1/2	3-1/2
1007 - 5/8	5/8	3-5/8
1007 - 3/4	3/4	4
1007 - 3/4	3/4	6-1/4
1007 - 7/8	7/8	6-1/2
1007 - 1	1	6-3/4
1007 - 1-1/8	1-1/8	7
1007 - 1-1/4	1-1/4	7



- Forged-head hitch pin with swivel handle
- Zinc plated "R" clip pin or chain and 1-4 lynchpin
- More than 25% stronger than Grade 2
- Yellow zinc dichromate plated

OKI - 1007B

HITCH PINS with clip

CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1007B - 3/8	3/8	4-1/4	4-3/4
1007B - 1/2	1/2	4-1/4	5-3/4
1007B - 1/2	1/2	6-1/4	7-3/4
1007B - 5/8	5/8	4-1/4	5-3/4
1007B - 5/8	5/8	6-1/4	7-3/4
1007B - 3/4	3/4	4-1/4	5-3/4
1007B - 3/4	3/4	6-1/4	7-3/4
1007B - 7/8	7/8	4-1/4	5-3/4
1007B - 7/8	7/8	6-1/4	7-3/4
1007B - 1	1	4-1/4	5-3/4
1007B - 1	1	6-1/4	7-3/4
1007B - 1-1/8	1-1/8	6-1/4	7-3/4
1007B - 1-1/4	1-1/4	6-1/4	7-3/4



OKI - 1007C

HITCH PINS with chain

CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1007C - 1/2	1/2	4-1/4	5-3/4
1007C - 1/2	1/2	6-1/4	7-3/4
1007C - 5/8	5/8	4-1/4	5-3/4
1007C - 5/8	5/8	6-1/4	7-3/4
1007C - 3/4	3/4	4-1/4	5-3/4
1007C - 3/4	3/4	6-1/4	7-3/4
1007C - 7/8	7/8	6-1/4	7-3/4
1007C - 1	1	6-1/4	7-3/4
1007C - 1-1/8	1-1/8	6-1/4	7-3/4
1007C - 1-1/4	1-1/4	6-1/4	7-3/4
1007C - 7/8	7/8	4-1/4	7-1/4
1007C - 3/4	3/4	8-1/2	10



OKI - 1008A

READ HEAD HITCH PINS

CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1008A - 1/2	1/2	3-5/8	6-5/8
1008A - 5/8	5/8	4	7
1008A - 5/8	5/8	5-3/4	9
1008A - 3/4	3/4	4	7
1008A - 3/4	3/4	6-1/2	9-1/2
1008A - 7/8	7/8	4-1/4	7-1/4
1008A - 7/8	7/8	6-1/2	9-1/2
1008A - 1	1	4-3/4	7-3/4
1008A - 1	1	7-1/2	10
1008A - 1-1/8	1-1/8	8-1/2	11-1/2
1008A - 1-1/4	1-1/4	8-1/2	11-1/2
1008A - 1-1/2	1-1/2	8-1/2	11-1/2
1008A - 1-3/4	1-3/4	8-1/2	12
1008A - 2	2	8-1/2	12
1008A - 1	1	12	15
1008A - 1-1/4	1-1/4	12	15
1008A - 1-1/2	1-1/2	13	16

- Grade 5 performance, forged hitch pins
- Made from high-strength steel and heat treated
- Pin has black powder coating
- Zinc plated "R" clip pin included



- Heat treated, made from alloy steel
- Grade 8 performance
- Pin has black powder coating
- Blue or gray vinyl coated head and handle
- Zinc plated "R" clip pin included

OKI - 1008B

HITCH PINS - BLUE/GRAY HEAD

CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1008B - 1/2	1/2	3-5/8	6-5/8
1008B - 5/8	5/8	4	7
1008B - 5/8	5/8	6	9
1008B - 3/4	3/4	4	7
1008B - 3/4	3/4	6-1/2	9-1/2
1008B - 7/8	7/8	4-1/4	7-1/4
1008B - 7/8	7/8	6-1/2	9-1/2
1008B - 1	1	4-3/4	7-3/4
1008B - 1	1	7	10
1008B - 1-1/8	1-1/8	7	10
1008B - 1-1/4	1-1/4	7	10
1008B - 1-1/2	1-1/2	8-1/2	11-1/2



OKI - 1008C
HITCH PINS - BLUE/GRAY HEAD

CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1008C - 1/2	1/2	3-5/8	6-5/8
1008C - 5/8	5/8	4	7
1008C - 5/8	5/8	6	9
1008C - 3/4	3/4	4	7
1008C - 3/4	3/4	6-1/2	9-1/2
1008C - 7/8	7/8	4-1/4	7-1/4
1008C - 7/8	7/8	6-1/2	9-1/2
1008C - 1	1	4-3/4	7-3/4
1008C - 1	1	7	10
1008C - 1-1/8	1-1/8	7	10
1008C - 1-1/4	1-1/4	7	10
1008C - 1-1/2	1-1/2	8-1/2	11-1/2



OKI - 1009
HITCH PINS with chain

CODE	PIN DIA INCHES	USABLE LENGTH INCHES
1009 - 5/8	5/8	4-1/2
1009 - 3/4	3/4	4-1/2
1009 - 3/4	3/4	6
1009 - 7/8	7/8	4-1/2
1009 - 7/8	7/8	6
1009 - 1	1	6
1009 - 1-1/8	1-1/8	7
1009 - 1-1/4	1-1/4	7
1009 - 1-1/2	1-1/2	8

- Grade 5 performance, forged hitch pins
- Designed with a quick-release handle to allow easy removal
- Double-lock mechanism ensuring the pin will remain in place
- The pin and handle are powder coated with zinc-plated locks



- Spring steel wires fits in the groove on the pin to secure it
- Yellow zinc dichromate plated

OKI - 1010

HITCH PINS - SAFETY LOCK & BENT

CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1010 - 1/2	1/2	4	5-1/2
1010 - 5/8	5/8	4	5-1/2
1010 - 3/4	3/4	6	7-1/2
1010 - 7/8	7/8	6	7-1/2
1010 - 1	1	6	7-1/2



- These pins have numerous farm, lawn and garden, and industrial applications
- Complete with zinc-plated "R" Clip pin
- Yellow zinc dichromate plated

OKI - 1011

HITCH PINS - BLUE/GRAY HEAD

CODE	PIN DIA INCHES	USABLE LENGTH INCHES
1011 - 5/16	5/16	3
1011 - 3/8	3/8	3
1011 - 1/2	1/2	2-1/2
1011 - 1/2	1/2	3
1011 - 3/4	3/4	3-1/2
1011 - 1/2	1/2	4
1011 - 5/8	5/8	3.5
1011 - 1/2	1/2	5
1011 - 5/8	5/8	3
1011 - 5/8	5/8	4
1011 - 5/8	5/8	5
1011 - 3/4	3/4	4-1/2



- Pins for hydraulic cylinders and jacks in popular sizes
Standard cylinder clips included
- will accommodate "R" clip pin
Yellow zinc dichromate plated



OKI - 1012
HYDRAULIC CYLINDER PINS


CODE	PIN DIA INCHES	USABLE LENGTH INCHES	OVERALL LENGTH INCHES
1012 - 2	1	2	2-3/4
1012 - 2-3/4	1	2-3/4	3-9/16
1012 - 2-7/8	1	2-7/8	3-11/16
1012 - 3	1	3	3-13/16
1012 - 3-1/4	1	3-1/4	4-1/16
1012 - 3-1/4	1-1/4	3-1/4	4-1/16

OKI - 2000
U-BOLTS



CODE	A1	A2	A3
2000 - A	3/8"	2-1/2"	2-1/2"
2000 - B	3/8"	7"	7"
2000 - C	1/2"	3"	4"
2000 - D	5/8"	4"	4"
2000 - E	5/8"	4"	5-1/2"
2000 - F	5/8"	4"	7-1/2"
2000 - G	5/8"	5"	8-1/2"
2000 - H	5/8"	6"	8"
2000 - I	5/8"	7"	5"
2000 - J	5/8"	7"	7"
2000 - K	5/8"	7"	8-1/2"
2000 - L	3/4"	5"	7"
2000 - M	3/4"	7"	8-1/2"
2000 - N	3/4"	7"	7"

OKI - 2001
U-BOLTS



CODE	A1	A2	A3
2001 - A	7/16"	2"	6"
2001 - B	7/16"	2-7/8"	7-3/4"
2001 - C	7/16"	3"	7-1/2"
2001 - D	1/2"	2-1/2"	8-1/4"
2001 - E	1/2"	2-7/8"	7"
2001 - F	1/2"	3"	8"
2001 - G	9/16"	3"	8-1/4"
2001 - H	9/16"	3-1/4"	8"
2001 - I	9/16"	3-3/8"	12"
2001 - J	5/8"	3"	8-1/2"
2001 - K	5/8"	3-1/4"	8-1/4"
2001 - L	5/8"	3-1/4"	12"




ONKAR INDUSTRIES

GURMINDER AGRICULTURE ENGG. INDUSTRY (Sister Concern)

Manufacturers & Exporters of Hand Tools

 763, Dugri, G.N.E. College Road,
Ludhiana

 +91 81466 55555, 70487 00000, 81466 11111

 aviraj@onkarindustries.com
info@onkarindustries.com

 www.onkarindustries.com

